



## Standardized Nail Making Expert

Steel Row nails/Drywall screws/Straight nails/Staples/F Brad nails/T Brad nails/Self-drilling screws/Fire studs

**EACH ONE IS USEFUL**

Steel Row nails/Drywall screws/Straight nails/Staples  
F Brad nails/T Brad nails/Self-drilling screws/Fire studs



**SINCE  
2001**

Quality service integrity enterprise | Integrity management demonstration enterprise |  
Quality-oriented and trustworthy enterprise | Contract-oriented and trustworthy enterprise

**Xingtai Baysundor ZhiDing Co., Ltd**

National service hotline: **400-800-1276**  
Address: Dongzhuangtou Village, Weizhuang Town,  
Longyao County, Xingtai City, Hebei Province

◇ This Advertising Graphic and text Material is for External  
publicity only, and the final right of interpretation belongs to  
Xingtai Baysundor Nail Manufacturing Co., Ltd



Baysundor Enterprise  
Video Account QR Code



Baysundor Corporate  
TikTok account QR code



Baysundor Enterprise  
Official Website QR Code



Baysundor corporate  
Public account QR code

**Xingtai Baysundor ZhiDing Co., Ltd**

## The expert evaluation meeting on the nail making process standards of Baysundor and the unveiling ceremony of the school-enterprise cooperation practice base were held

On June 15, 2025, Hebei Xingtai Baysundor Nail Co., Ltd. held an expert evaluation meeting on nail-making process standards and the unveiling ceremony of the Hebei University of Technology School-Enterprise Cooperation Practice Base. Wang Xin, vice president of the School of Materials Science and Engineering of Hebei University of Technology, and industry expert Zhao Lichen attended the evaluation meeting and the unveiling ceremony. Song Lixing, chairman of Hebei Xingtai Baysundor Nail Co., Ltd., and Liu Dongliang, general manager, attended the unveiling ceremony.

During the meeting, the experts listened to Song Lixing's report on the company's basic situation and production and operation status, and visited the production line, nail-making process and company laboratory in the workshop. The company's nail-making process standards were discussed and evaluated, and finally the conclusion was formed: "Baysundor's nail-making process level has reached the domestic advanced standard." At the same time, Xingtai Baysundor Nail Co., Ltd. cooperated with the School of Materials Science and Engineering of Hebei University of Technology to establish a practice base, and Wang Xin and Song Lixing unveiled the practice base.



At the unveiling ceremony, Wang Xin accepted an interview with the media. He said that Hebei University of Technology is a century-old school in Hebei Province, a "211" and "double first-class" university in Hebei Province. The product process and technical equipment of Hebei Xingtai Baysundor Nail Making Co., Ltd. are highly compatible with the school's metal materials discipline. The establishment of the practice base is a good start for the school and the enterprise to cooperate in educating people and seeking common development. Hebei University of Technology is working hard to promote the action plan of serving the "Strong Economic Province, Beautiful Hebei". In the future, the two sides will carry out diversified and pragmatic cooperation in talent training practice teaching, scientific research cooperation, and achievement transformation, accurately meet the needs of enterprises, and continuously promote the school's superior resources to empower the high-quality development of enterprises.

Song Lixing said that the company is very happy to participate in the construction of the Hebei University of Technology practice base, and looks forward to using the school's scientific research resources to improve the company's nail-making process automation and intelligence level, solve technical problems in production, and enhance product competitiveness.



The school-enterprise cooperation practice base can serve as an incubator for corporate talents. Through school-enterprise cooperation, it can cultivate technical talents that meet the needs of both parties, while attracting outstanding graduates from universities to work, injecting momentum into the long-term development of enterprises. Building a practice base with universities is an important measure for enterprises to practice the integration of production and education, which helps to enhance the visibility and influence of enterprises in the industry, establish the image of a technology-based enterprise, and lay the foundation for expanding the market and attracting partners.

It is understood that Xingtai Baysundor Nail Manufacturing Co., Ltd. is located in the industrial zone of Weizhuang Town, a northern nail industry base, close to Xingheng Expressway and National Highway 107, with a superior geographical location and convenient transportation. It has a complete set of production lines for wire drawing, nail making, cold heading, thread rolling, heat treatment, and surface treatment. It specializes in the production of pneumatic steel row nails, drywall nails, straight nails, code nails, ecological board nails, special steel nails, cement steel nails and other products, with an annual output of 28,000 tons of various steel nails.



## The expert evaluation meeting of Baysundor nail making process standard was held. Media coverage: China.com, China.com, Great Wall.com, Sohu.com, Sina.com, Hebei Radio, etc.

中国网物物联 国际视野 产业平台  
lot.china.com.cn 2025年6月26日 站内搜索

要闻 | 政策 | 观点 | 访谈 | 视频 | 专题 | 活动 | 云服务 | 展播 | 白皮书 | 聚焦产业 | 品牌计划 | 智造优选 | 物联网之声 | 产业社区

首页 > 资讯

**百尚得制钉工艺标准专家评定会举行**

发布时间: 2025-06-16 14:41:15 | 来源: 中国网 | 作者: | 责任编辑: 吴一凡

2025年6月15日河北邢台百尚得制钉有限公司举行河北工业大学专家评定暨实践基地揭牌仪式。

河北工业大学材料科学与工程学院副院长王新和行业专家王铁奎、赵立臣等出席揭牌仪式。河北邢台百尚得制钉有限公司董事长宋立兴、总经理刘冬良等参加揭牌仪式。

**高质量发展看河北 | 百尚得制钉工艺标准专家评定会成功举行**

文旅公共频道 9551网络

2025-06-21 20:11 来源: 河北广播电视台网络客户端

近日, 河北工业大学专家评定暨实践基地揭牌仪式在邢台百尚得制钉有限公司举行。河北工业大学材料科学与工程学院副院长王新、行业专家赵立臣、邢台百尚得制钉有限公司董事长宋立兴、总经理刘冬良等参加了活动。

**高质量发展看河北 | 百尚得制钉工艺标准专家评定会成功举行**

文旅公共频道 9551网络

2025-06-21 20:11 来源: 河北广播电视台网络客户端

近日, 河北工业大学专家评定暨实践基地揭牌仪式在邢台百尚得制钉有限公司举行。河北工业大学材料科学与工程学院副院长王新、行业专家赵立臣、邢台百尚得制钉有限公司董事长宋立兴、总经理刘冬良等参加了活动。

**高质量发展看河北 | 百尚得制钉工艺标准专家评定会成功举行**

文旅公共频道 9551网络

2025-06-21 20:11 来源: 河北广播电视台网络客户端

近日, 河北工业大学专家评定暨实践基地揭牌仪式在邢台百尚得制钉有限公司举行。河北工业大学材料科学与工程学院副院长王新、行业专家赵立臣、邢台百尚得制钉有限公司董事长宋立兴、总经理刘冬良等参加了活动。



## COMPANY PROFILE

Xingtai Baysundor Nail Co., LTD.(former Shunxing Huawei wire nailfactory) was founded in 2001, located in the northern nail industry base -Weizhuang industrial zone, close to Xingheng expressway, 107 national road,the geographical position is superior, convenient transportation. The enterprise covers a total area of 60,000 square meters,with a complete set of wire drawing,nail making,cooling,rolling,heat treatment, surface treatment and other total assets of 120 million yuan.With more than 800 employees,the annualproduction ofall kinds ofsteel nail 28,000 tons.

Enterprises specializing in production: pneumatic steel row nails,wall tapping nails, ecological board nails,special steel nails, cementsteelnails and other products.

Enterprises adhere to the "quality of survival, credibility anddevelopment" ofthe road. Our products sell well all over the countryand are exported to Korea, Thailand, Taiwan, Middle East, Europeand America.

## CORPORATE MILESTONES

In 2001, Shunxing Wire Drawing Nail Factory was established and began to make steel nails.

In 2005, the new plant was put into use, and the heat treatment furnace was updated to the most advanced muffle furnace at that time.

In 2008, the heat treatment furnace was updated, the first in the industry, the continuous mesh belt roller furnace.

In 2010, Shunxing Huawei Wire Drawing Nail Factory started construction, officially positioned to produce high-quality steel nails.

In 2013, the drywall nail project was added and the plant was expanded.

In 2015, the drywall nail wire drawing workshop and phosphating workshop were expanded to achieve independent production of drywall nails in all processes.

In 2017, it took the lead in cooperating with peers to prepare for the construction of the 200-acre Hanchi Electroplating Industrial Park.

In 2019, it invested in the construction of the 150-acre Jiangyao Huajian Industrial Park with the Huawei Group.

In 2024, the Hanchi Electroplating Industrial Park expanded the carburizing treatment furnace and a phosphating production line.

In 2003, the straight nail equipment was installed and straight nails were made.

In 2006, the company started outsourcing business for the first time. In 2009, it established Shunxing Huawei Wire Drawing Nail Factory in a joint venture with Huawei Group.

In 2012, it built a new steel nail wire drawing workshop to realize the independent production of all processes of steel nails.

In 2014, Baysundor Nail Manufacturing Co., Ltd. was established, and the drywall nail workshop was put into production in the same year, positioning itself as a high-quality drywall nail.

In 2016, the first and most advanced and largest mesh belt carburizing treatment furnace in the industry was added.

In 2018, Hanchi Electroplating Industrial Park was put into production, and the phosphating line was updated to a fully automatic production line.

In 2023, the expansion of the drywall nail workshop covering an area of 2,000 square meters was put into production.

In 2025, the first year of Baysundor brand construction, a foreign trade company was planned to be established.

## 卷钉 Coil Nails



直径 Diameter	长度 Length
2.0-2.1	25
	32
	35
	38
	45
	50
	57
	64
2.1-2.3	45
	50
	57
	60
	64
	64

直径 Diameter	长度 Length
2.2-2.5	50
	57
	60
	64
	70
	75
	80
	80
2.5-2.9	70
	75
	80
	100

直径 Diameter	长度 Length
2.8-3.2	70
	75
	80
	90
	100
	110
3.0-3.3	120
	130
3.6-3.7	130

材 质:Q195 Q235

钉 杆: 光杆 环纹 螺纹

线 径:2.0---3.7MM 长度: 25---130MM

表面处理: 镀锌白色 镀锌黄色 镀锌蓝色

包装方式: 300支每卷, 30卷每箱


Material: Q195 Q235

Shank: smooth shank, ring shank, twisted

shankShank diameter: 2.0---3.7MM, Length: 25---130MM

Surface treatment: Electric galvanized, polished, Paint coating

Package: 300pcs/coil,30coils/carton




## 码钉 Staples

型号 Model	长度 ±0.1 Length	钉冠宽度 ±0.1 CROWN	线径 ±0.02 Diameter	成型 ±0.02 Width*Thickness	适用气钉枪 Pneumatic nail gun				
406J	6	5	88	---	406J 413J 422J 422JL				
408J	8								
410J	10								
413J	13								
416J	16								
419J	19								
422J	22								
410K	10								
413K	13								
416K	16								
419K	19								
422K	22								
425K	25	5.7/3.6	117	---	425K 425KL 440KB				
428K	28								
430K	30								
432K	32								
435K	35								
438K	38								
440K	40								
N10	16								
N11	19								
N13	25								
N15	32	10.6/8	143	---	N851 N851D N851G N851F				
N17	38								
N19	45								
N21	50								
1006J	6					11	88	---	1022J 1022JB
1008J	8								
1010J	10								
1013J	13								
1016J	16								
1019J	19								
1022J	22								
1408	8	10.1/8.7	0.68 0.71 22GA	---	1416				
1410	10								
1412	12								
1414	14								
1416	16								
7106	6					9/7.7	0.68 0.71 22GA	---	7116
7108	8								
7110	10								
7112	12								
7114	14								
7116	16								

材 质: Q195  
表面处理: 镀锌白色, 彩色  
包装方式: 4000/5000/10000发每盒

Material: Q195  
Surface: galvanized white, color  
Package: 4000/5000/10000 pcs per box  
J4 100 pcs X 50 row / box  
K4 80 pcs X 50 row / box  
N 70 pcs X 143 row / box  
J10 100 pcs X 50 row / box  
14F 167 pcs X 83 row / box  
71F 167 pcs X 60 row / box  
80F 125 pcs X 40/80 row per box  
120 pcs X 83 row / box  
92F 100 pcs X 50 row / box



型号 Model	长度 ±0.1 Length	钉冠宽度 ±0.1 CROWN	线径 ±0.02 Diameter	成型 ±0.02 Width*Thickness	适用气钉枪 Pneumatic nail gun				
8006	6	12.8/11.4	0.81 21GA	0.95*0.6	8022				
8008	8								
8010	10								
8012	12								
8014	14								
8016	16								
8020	20								
8022	22								
9210	10					8.8/6.7	1.14 1.18 18GA	---	9240
9220	20								
9225	25								
9230	30								
9235	35								
9240	40								


## THE COMPANY WORKSHOP



## COMPANY CULTURE

Corporate vision: From entrepreneurship to growth, from growth to development, from development to take-off, focus on quality, pay attention to the market, serve customers, and strive to be an advanced manufacturing enterprise.  
Corporate spirit: Create value for customers, create benefits for enterprises, create wealth for employees, and create prosperity for society.  
Corporate mission: Customer satisfaction, employee pride, and social respect.  
Corporate purpose: Hard work, pioneering and innovation, honesty, and down-to-earth work.  
Business philosophy: Quality is life, innovation is blood, ideals are souls, and harmony is strength.  
Corporate ethics: Establish an image of integrity externally and cultivate professional ethics internally.

### Steel Row nails (钢排钉)



#### Gauge:14GA

Diameter: 2.16±0.01mm

Head: 6.0±0.1mm

Length: 18-64mm(-1mm)

Model: ST18、ST25、ST32、ST38、ST45、  
ST50、ST57、ST64

Material: Type 45 steel

Surface treatment: galvanized bright

Packing: 40pcs/strip 400pcs/box 20boxes/case

#### 线 规:14GA

线 径: 2.16±0.01mm

钉 帽: 6.0±0.1mm

钉 长: 18-64mm(-1mm)


型 号: ST18、ST25、ST32、ST38、ST45、  
ST50、ST57、ST64

材 料: 45号钢

表面处理: 镀锌 银白色

包 装: 40支/排 400支/盒 20盒/箱

### Fire studs (消防钉)



#### Length: 32mm 42mm

Diameter: 3.75mm

Core diameter: 0.6 0.8 1.0

Model: 32 42

Packing : 200pcs/box 10boxes/case

#### 钉 长: 32mm 42mm

线 径: 3.75mm

孔直径: 0.6 0.8 1.0

型 号: 32 42

包 装: 200支/盒 10盒/箱

### Dry Wall Screws Nails (干壁钉)



#### Head:8mm

Diameter: 262

Length: 16、20、25、30、35、40、50mm

External diameter of tooth: 3.5mm

Material: 1022A

Surface treatment: Phosphating (black or gray)

#### 钉 帽:8mm

线 径: 262


钉 长: 16、20、25、30、35、40、50mm

牙 外 径 : 3.5mm

材 料: 1022A

表面处理: 磷化(磷黑、磷灰) 镀锌(蓝白、彩)

### Gas Shoot Nails (瓦斯射钉)



#### Material: type 55 steel

Surface Treatment: galvanized bright

Model: 19 22 25 27 32 38

Packing: 1000pcs/box 10boxes/case

#### 材 质:55号钢

表面处理: 镀锌 镀锌白

型 号: 19 22 25 27 32 38


包 装: 1000支/盒 10盒/箱

### Shoot Nails (射钉)



<b>Diameter:</b> ( 3.4±0.1 ) mm
<b>Length:</b> 22mm, 27mm, 32mm, 37mm, 42mm, 47mm, 52mm, 57mm, 62mm, 67mm, 72mm
<b>Material:</b> Type S5 steel
<b>Packing:</b> 100pcs/box 50boxes/case
<b>线 径:</b> 3.4±0.1mm
<b>钉 长:</b> 22mm, 27mm, 32mm, 37mm, 42mm, 47mm, 52mm, 57mm, 62mm, 67mm, 72mm
<b>材 料:</b> 55号钢
<b>包 装:</b> 100支/盒 50盒/箱

### Ceiling Shooting Nails (吊顶射钉)



<b>Length:</b> 32mm
<b>Diameter:</b> 3.75mm
<b>Core diameter:</b> 0.6 0.8 1.0
<b>Packing:</b> 100pcs/box 10boxes/case
<b>钉 长:</b> 32mm
<b>线 径:</b> 3.75mm
<b>孔直径:</b> 0.6 0.8 1.0
<b>包 装:</b> 100支/盒 10盒/箱


### F Brad Series (F 型气钉)



<b>Gauge:</b> 18GA
<b>Head:</b> 2.0±0.05mm DIAMETER 105#
<b>Width:</b> 1.12±0.01mm
<b>Thickness:</b> 0.8±0.01mm
<b>Length:</b> 10-30mm(-1mm)
<b>Model:</b> F10, F15, F20, F25, F30
<b>Material:</b> Q195, Q215
<b>Surface treatment:</b> galvanized bright
<b>Packing:</b> 100pcs/strip 5000pcs/box 20boxes/case 4000pcs/box

<b>线 规:</b> 18GA
<b>钉 帽:</b> 2.0±0.05mm 线径105#
<b>钉 宽:</b> 1.12±0.01mm钉
<b>钉 厚:</b> 0.8±0.01mm
<b>钉 长:</b> 10-30mm(-1mm)
<b>型 号:</b> F10, F15, F20, F25, F30
<b>材 料:</b> Q195, Q215
<b>表面处理:</b> 镀锌 银白色
<b>包 装:</b> 100支/排 5000支/盒 20盒/箱 4000支/盒

### T Brad Series (T 型气钉)



<b>Gauge:</b> 16GA
<b>Head:</b> 2.6±0.1mm DIAMETER 142#
<b>Width:</b> 1.51±0.01mm
<b>Thickness:</b> 1.14±0.01mm
<b>Length:</b> 38mm 50mm(-1mm)
<b>Model:</b> T38 T50
<b>Material:</b> Q215
<b>Surface treatment:</b> galvanized bright
<b>Packing:</b> 80 PER ROW 1600 PER BOX15 BOXES/PIECE

<b>线 规:</b> 16GA
<b>钉 帽:</b> 2.6±0.1mm 线径142#
<b>钉 宽:</b> 1.51±0.01mm
<b>钉 厚:</b> 1.14±0.01mm
<b>钉 长:</b> 38mm 50mm(-1mm)
<b>型 号:</b> T38 T50
<b>材 料:</b> Q215
<b>表面处理:</b> 镀锌 银白色
<b>包 装:</b> 80支/排 1600支/盒 15盒/件



<b>Head:8.0</b>
Diameter: 280
External diameter of tooth: 4.0mm
Model: 16 30 40 50
Surface treatment: Color plating
<b>钉 帽:8.0</b>
线 径: 280
牙外径: 4.0mm
型 号: 16 30 40 50
表面处理: 镀彩



<b>Gauge:</b>
Model: 0.4 0.6 1.0
Surface treatment: Color-plated blue-white plating
Product material: High quality steel
<b>线 规:</b>
型 号: 4分 6分 1寸
表面处理: 彩镀锌
产品材质: 优质钢



Diameter: 2.2mm, 2.6mm, 3.2mm, 3.4mm, 3.6mm, 3.8mm, 4.5mm, 5.0mm
Length: 25mm, 30mm, 40mm, 50mm, 60mm, 70mm, 80mm, 100mm,
<b>线 径:</b> 2.2mm, 2.6mm, 3.2mm, 3.4mm, 3.6mm, 3.8mm, 4.5mm, 5.0mm
<b>钉 长:</b> 25mm, 30mm, 40mm, 50mm, 60mm, 70mm, 80mm, 100mm,




Diameter: 3.0mm, 3.2mm, 3.4mm, 3.8mm, 4.0mm, 4.5mm, 5.0mm
Length: 25mm, 30mm, 40mm, 50mm, 60mm, 70mm, 80mm, 100mm,
<b>线 径:</b> 3.0mm, 3.2mm, 3.4mm, 3.8mm, 4.0mm, 4.5mm, 5.0mm
<b>钉 长:</b> 25mm, 30mm, 40mm, 50mm, 60mm, 70mm, 80mm, 100mm,

Worsted end drill wire (华司钻尾)



<b>Head: 10.5mm</b>
Diameter: 3.28
Length: 13 16 19 25 32 38 50 60 70
External diameter of tooth:4.2
Material: 1022A
Surface treatment: Blue-white plating
<b>钉 帽: 10.5mm</b>
线 径: 3.28
钉 长: 13 16 19 25 32 38 50 60 70
牙外径: 4.2
材 料: 1022A
表面处理: 镀蓝白

TRACELESS NAIL (无痕钉)




<b>MATERIAL: STEEL NO.55</b>
SURFACE TREATMENT: GALVANIZED
COLOR: SILVER WHITE
PACKAGING METHOD: BAGGED
QUANTITY PER BOX: 100 BAGS (EACH BAG COMES WITH A SLEEVE)
QUANTITY PER BAG: 100 PIECES (CUSTOMIZABLE)
<b>材 质: 55号钢</b>
表面处理: 镀锌
颜 色: 银白
包装方式: 袋装
每箱数量: 100袋 (每袋配一支套管)
每袋数量: 100支 (可定制)

Sink the head and drill the tail (沉头钻尾)



<b>Head: 8mm</b>
Diameter: 3.28
Length: 13 16 19 25 32 38 50 60 70
External diameter of tooth:4.2
Material: 1022A
Surface treatment: Blue-white plating
<b>钉 帽: 8mm</b>
线 径: 3.28
钉 长: 13 16 19 25 32 38 50 60 70
牙外径: 4.2
材 料: 1022A
表面处理: 镀蓝白

LIGHT STEEL KEEL NAIL (轻钢龙骨链接钉)



<b>MATERIAL: 1022A</b>
SURFACE TREATMENT: GALVANIZED
COLOR: SILVER WHITE
PACKAGING METHOD: BAGGED
QUANTITY PER BOX: 20 BOXES, 1000 PIECES PER BOX
SIZE: 4MM*14MM
<b>材 质: 1022A</b>
表面处理: 镀锌
颜 色: 银白
包装方式: 盒装
每箱数量: 20盒, 每盒数量1000支
尺 寸: 4MM*14MM